




Level	Zone	ECI N°.	Revision note	Date	Designed	Checked
R01	01 A	4428	war 10 Leds Stop/Tail und 5 Leds DI was 10 Leds Stop/Tail and 5 Leds DI	2017/06/13	Kloster.M.	Strubr.D.



function	wire colour
Blinker D	gelb yellow
Masse GND	weiss white
Rückl. Tail	schwarz black
Bremse Stop	rot red



Electrical Specification				
Funktion Function	Nennspannung Nominal Voltage	Spannungsbereich Voltage Range	Nennstrom Nominal Current	Nennleistung Nominal Power
Volt (V)	Volt (V)	Volt (V)	Ampere (A)	Watt (W)
Stop	12V / 24V	9V - 32V	0.18A / 0.9A	2.2W
Tail	12V / 24V	9V - 32V	0.04A / 0.02A	0.5W
DI	12V / 24V	9V - 32V	0.22A / 0.11A	2.7W

Asp. Norm AAW075.04 () Auxiliary dimension DIN 406-10 [] Theoretical dimension ISO 1101
 [] Test dimension (SPC) [] Unfinished dimension DIN 406-10 [] Surface quality ISO 1302

Designed by _____ Checked by _____ Approved by _____

DRAFT

33-8914-007 **ASPÖCK SYSTEMS** Designation: Linepoint I 3 Funktionen 5,0m Project number: 1101

Business Unit: _____ Tolerance: Asp. PAW 100.53b1 Weight: - g Scale: x:x

Part Number: _____ Dimensions in mm: _____ Transmittal, reproduction, dissemination and/or editing of this document as well as utilization of its contents and communication thereof to others without express authorization are prohibited. Offenders will be held liable for payment of damages. All rights created by patent grant or registration of a utility model or design patent are reserved. Level: R01 Sheet: 1 / 1

