





| Level | Zone | ECI N°. | Revision note | Date | Designed | Checked |
|-------|------|---------|---------------|------|----------|---------|
| | | | | | | |
| | | | | | | |
| | | | | | | |



| CONNECTOR: | | ① |
|--------------------------------|-------|-------------------------|
| function | pin | wire colour |
| Blinker RH <i>DI RH</i> | 1 / 4 | grün <i>green</i> |
| Nebelschl. <i>Fog</i> | 2 | blau <i>blue</i> |
| Masse <i>GND</i> | 3 | weiss <i>white</i> |
| Rücklicht RH <i>Tail RH</i> | 5 | schwarz <i>black</i> |
| Bremse <i>Stop</i> | 6 | rot <i>red</i> |
| Rücklicht LH <i>Tail LH</i> | 7 | - |
| Rückfahr. <i>Reverse</i> | 8 | grau <i>grey</i> |

| Electrical Specification | | | | |
|-----------------------------|--|--|-------------------------------------|--------------------------------------|
| Funktion <i>Function</i> | Nennspannung <i>Nominal Voltage</i> | Spannungsbereich <i>Voltage Range</i> | Nennstrom <i>Nominal Current</i> | Nennleistung <i>Nominal Power</i> |
| Volt (V) | Volt (V) | Volt (V) | Ampere (A) | Watt (W) |
| Tail | 12V / 24V | 9V - 33V | 0.17A / 0.08A | 2W |
| Stop | 12V / 24V | 9V - 33V | 0.14A / 0.07A | 1.7W |
| DI | 12V / 24V | 9V - 33V | 0.33A / 0.17A | 4W |
| Fog | 12V / 24V | 9V - 33V | 0.38A / 0.19A | 4.5W |
| Reverse | 12V / 24V | 9V - 33V | 0.22A / 0.11A | 2.6W |

Asp. Norm AAW075.04 () Auxiliary dimension DIN 406-10 [] Unfinished dimension DIN 406-10 [] Theoretical dimension ISO 1101
 ○ Test dimension (SPC) [] Unfinished dimension DIN 406-10 [] Surface quality ISO 1302

Designed by _____ Checked by _____ Approved by _____

ASPÖCK SYSTEMS

Drawing Nr. 35202101 Business Unit SALES - 24 Tolerance Asp. PAW 100.53b1

Project number - Weight - g Scale x:x Level R01 Sheet 1 / 1

Part Number [] Dimensions in mm

Transmittal, reproduction, dissemination and/or editing of this document as well as utilization of its contents and communication there of to others without express authorization are prohibited. Offenders will be held liable for payment of damages. All rights created by patent grant or registration of a utility model or design patent are reserved.